

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 1


## Live Resin THC-A Disposable 2 Grams (2000mg)

Sample ID: SA-230929-27720 Batch: LRTD40 Type: Finished Product - Inhalable Matrix: Concentrate - Distillate Unit Mass (g):

Received: 10/03/2023 Completed: 10/27/2023 Client

Elyxr 330 Wall St #1 Los Angeles, CA 90013 USA





0.147 %	<b>39.7</b> %	<b>94.8</b> %	Not Tested	Not Tested	Yes
Δ9-ΤΗΟ	Δ9-ΤΗϹΑ	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

## Cannabinoids by HPLC-PDA and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	4.62	46.2
CBD	0.0081	0.0242	25.5	255
BDV	0.0061	0.0182	ND	ND
BG	0.0057	0.0172	19.7	197
BL	0.0112	0.0335	ND	ND
BN	0.0056	0.0169	5.09	50.9
BT	0.018	0.054	ND	ND
4,8-iso-THC	0.0067	0.02	ND	ND
8-iso-THC	0.0067	0.02	ND	ND
8-THC	0.0104	0.0312	ND	ND
9-THC	0.0076	0.0227	0.147	1.47
9-THCA	0.0084	0.0251	39.7	397
9-THCV	0.0069	0.0206	ND	ND
otal Δ9-THC			35.0	350
otal			94.8	948

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THCA \* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 10/27/2023

Tested By: Scott Caudill Laboratory Manager Date: 10/27/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.