KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Elyxr THC-A Snow Cap - Purple Runtz (Hybrid)

Sample ID: SA-240710-43911 Batch: ELTHCASNCP-PR-071024 Type: Finished Product - Inhalable Matrix: Plant - Fortified / Sprayed Unit Mass (g):

Received: 07/15/2024 Completed: 07/25/2024 Client

Elyxr 330 Wall St #1 Los Angeles, CA 90013 USA



1 of 1



Summary

TestCannabinoids
Moisture

Date Tested 07/25/2024 07/25/2024

Status Tested Tested

0.211 % Δ9-THC

48.7 %

Δ9-THCA

65.4 %

Total Cannabinoids

5.56 %

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA

Analyte	LOD (%)	LOQ (%)	Result (% dry)	Result (mg/g dry)
CBC	0.00095	0.0028	0.107	1.07
CBCA	0.00181	0.0054	0.116	1.16
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.0024	7.47	74.7
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.0018	0.726	7.26
CBDVA	0.00021	0.0006	ND	ND
CBG	0.00057	0.0017	2.42	24.2
CBGA	0.00049	0.0015	3.62	36.2
CBL	0.00112	0.0033	ND	ND
CBLA	0.00124	0.0037	ND	ND
CBN	0.00056	0.0017	ND	ND
CBNA	0.0006	0.0018	0.172	1.72
CBT	0.0018	0.0054	1.58	15.8
Δ8-ΤΗС	0.00104	0.0031	ND	ND
Δ9-ΤΗС	0.00076	0.0023	0.211	2.11
Δ9-ΤΗCΑ	0.00084	0.0025	48.7	487
Δ9-ΤΗCV	0.00069	0.0021	ND	ND
Δ9-ΤΗCVA	0.00062	0.0019	0.226	2.26
Total Δ9-THC			42.9423	429
Total			65.4	654

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 07/25/2024

Tested By: Kelsey Rogers Scientist Date: 07/25/2024









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.