

REPORT PREPARED FOR:


Drink BREZ LLC
313 Datura St. Ste 200
West Palm Beach, FL 33401

PROJECT# 24014356
LAB ID 54033470
REPORT DATE 8/2/2024



SAMPLE NAME: BREZ Bliss 12oz - BBOG12004
DATE RECEIVED: 8/1/2024

TOTAL Δ9-THC	TOTAL CBD	TOTAL CANNABINOIDS
5.19 MG	10.07 MG	20.99 MG



CANNABINOID	WEIGHT (%)	MG/Can (12 fl oz)
CBC	0.0003	1.15
CBD	0.0028	10.07
CBDA	ND	ND
CBDV	0.0001	0.24
CBG	ND	ND
CBGA	ND	ND
CBN	0.0003	0.98
Δ8-THC	ND	ND
Δ9-THC	0.0015	5.19
CBT	0.0009	3.36
THCA	ND	ND
THCV	ND	ND
Total CBD	0.0028	10.07
Total CBG	ND	ND
Total THC	0.0015	5.19



Analysis Method: TP-POT-05
By HPLC-VWD
Total THC = (0.877 x THCA) + Δ9-THC
Total CBD = (0.877 x CBDA) + CBD
Total CBG = (0.877 x CBGA) + CBG
ND = Not Detected

Prepared By: BRB
Prep Date: 8/1/2024
Batch ID: AUG0124A-POT

Analyzed By: BRB
Analysis Date: 8/1/2024



APPROVED BY:
JUSTIN HALL
LAB DIRECTOR

Justin Hall
SIGNATURE

8/2/2024
SIGNED ON



Certificate of Analysis

Compliance Test

Client Information:

Drink BREZ LLC
313 Datura Street, Ste.200
West Palm Beach, FL 33401

Batch # BBOG12004
Batch Date: 2024-06-28
Extracted From: Hemp

Test Reg State: Florida

Order # DRI240628-020001
Order Date: 2024-06-28
Sample # AAFS653

Sampling Date: 2024-07-01
Lab Batch Date: 2024-07-01
Completion Date: 2024-07-08

Volume: 355 ml

Number of Units: 1
Net Weight per Unit: 355000.000 mg

Terpenes
Specimen Weight: 451.000 mg

Tested
SOP13.045 (GC/GCMS)

Dilution Factor: 3.000

Analyte	LOQ (%)	Result (mg/g)	(%)	Analyte	LOQ (%)	Result (mg/g)	(%)
(R)-(+)-Limonene	0.002	0.038	0.004	Fenchyl Alcohol	0.002	<LOQ	<LOQ
(+)-Cedrol	0.002	<LOQ	<LOQ	Gamma-Terpinene	0.002	<LOQ	<LOQ
3-Carene	0.002	<LOQ	<LOQ	Geraniol	0.002	<LOQ	<LOQ
alpha-Bisabolol	0.002	<LOQ	<LOQ	Geranyl acetate	0.002	<LOQ	<LOQ
alpha-Cedrene	0.002	<LOQ	<LOQ	Guaiol	0.002	<LOQ	<LOQ
alpha-Humulene	0.002	<LOQ	<LOQ	Hexahydrothymol	0.002	<LOQ	<LOQ
alpha-Phellandrene	0.002	<LOQ	<LOQ	Isoborneol	0.002	<LOQ	<LOQ
alpha-Pinene	0.002	<LOQ	<LOQ	Isopulegol	0.002	<LOQ	<LOQ
alpha-Terpinene	0.002	<LOQ	<LOQ	Linalool	0.002	<LOQ	<LOQ
beta-Myrcene	0.002	<LOQ	<LOQ	Nerol	0.002	<LOQ	<LOQ
beta-Pinene	0.002	<LOQ	<LOQ	Ocimene	0.00033	<LOQ	<LOQ
Borneol	0.004	<LOQ	<LOQ	Pulegone	0.002	<LOQ	<LOQ
Camphene	0.002	<LOQ	<LOQ	Sabinene	0.002	<LOQ	<LOQ
Camphors	0.006	<LOQ	<LOQ	Sabinene Hydrate	0.002	<LOQ	<LOQ
Caryophyllene oxide	0.002	<LOQ	<LOQ	Terpinolene	0.002	<LOQ	<LOQ
cis-Nerolidol	0.002	<LOQ	<LOQ	Total Terpineol	0.00126	<LOQ	<LOQ
Eucalyptol	0.002	<LOQ	<LOQ	trans-Caryophyllene	0.002	<LOQ	<LOQ
Farnesene	0.002	<LOQ	<LOQ	trans-Nerolidol	0.002	<LOQ	<LOQ
Fenchone	0.002	<LOQ	<LOQ	Valencene	0.002	<LOQ	<LOQ

Total Yeast and Mold
Specimen Weight: 475.700 mg

Passed
SOP13.017 (qPCR)

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Remark
Total Yeast/Mold	100000	<LOQ	Passed

Pathogenic Microbiology SAE (MicroArray)
Specimen Weight: 1036.100 mg

Passed
SOP13.019 (Micro Array)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "" are not ISO/IEC 17025:2017 accredited test results.*





Certificate of Analysis
Compliance Test

Client Information:

Drink BREZ LLC
313 Datura Street, Ste.200
West Palm Beach, FL 33401

Batch # BBOG12004
Batch Date: 2024-06-28
Extracted From: Hemp

Test Reg State: Florida

Order # DR1240628-020001
Order Date: 2024-06-28
Sample # AAFS653

Sampling Date: 2024-07-01
Lab Batch Date: 2024-07-01
Completion Date: 2024-07-08

Volume: 355 ml

Number of Units: 1
Net Weight per Unit: 355000.000 mg

H Heavy Metals
Specimen Weight: 252.200 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 198

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ	Mercury (Hg)	.58	100	3000	<LOQ

Mycotoxins
Specimen Weight: 595.900 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.520

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

Residual Solvents - FL (CBD)
Specimen Weight: 304.700 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 500.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	NA	2963.212	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
 Compliance Test

Client Information:
Drink BREZ LLC Batch # BBOG12004 Test Reg State: Florida
 313 Datura Street, Ste.200 Batch Date: 2024-06-28
 West Palm Beach, FL 33401 Extracted From: Hemp
 Order # DRI240628-020001 Sampling Date: 2024-07-01 Number of Units: 1
 Order Date: 2024-06-28 Lab Batch Date: 2024-07-01 Volume: 355 ml Net Weight per Unit: 355000.000 mg
 Sample # AAFS653 Completion Date: 2024-07-08

Pesticides **Passed**
 Specimen Weight: 595.900 mg SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.520

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	300	<LOQ	Fludioxonil	1.7400E+0	48	3000	<LOQ
Acephate	2.3000E-2	30	3000	<LOQ	Hexythiazox	4.9000E-2	30	2000	<LOQ
Acequinocyl	9.5640E+0	48	2000	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	3000	<LOQ	Imidacloprid	9.4000E-2	30	3000	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	1000	<LOQ
Azoxystrobin	8.1000E-2	10	3000	<LOQ	Malathion	8.2000E-2	30	2000	<LOQ
Bifenazate	1.4150E+0	30	3000	<LOQ	Metalaxyl	8.1000E-2	10	3000	<LOQ
Bifenthrin	4.3000E-2	30	500	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	3000	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	3000	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	3000	<LOQ
Chlorantranilprole	3.3000E-2	10	3000	<LOQ	Naled	9.5000E-2	30	500	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Pacllobutrazol	6.5000E-2	30	100	<LOQ
Chlormequat Chloride	1.0800E-1	10	3000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	200	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	1000	<LOQ
Clofentezine	1.1900E-1	30	500	<LOQ	Phosmet	8.2000E-2	30	200	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	1000	<LOQ	Prallethrin	7.9800E-1	30	400	<LOQ
Cypermethrin	1.4490E+0	30	1000	<LOQ	Propiconazole	7.0000E-2	30	1000	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	200	<LOQ	Pyrethrins	2.3593E+1	30	1000	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	3000	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	3000	<LOQ
Dimethomorph	5.8300E+0	48	3000	<LOQ	Spinosad	8.8000E-2	30	3000	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	3000	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	3000	<LOQ
Ettoxazole	9.5000E-2	30	1500	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	3000	<LOQ	Tebuconazole	6.7000E-2	30	1000	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	2000	<LOQ	Thiamethoxam	5.0000E-2	30	1000	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	3000	<LOQ
Flonicamid	5.1700E-1	30	2000	<LOQ					

Aixia Sun
 Aixia Sun Lab Director/Principal Scientist
 D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

