

## Dutch Headband

Sample ID: HR2047490383  
Strain: Dutch Headband  
Matrix: Plant  
Type: Flower - Cured Sample  
Size: ; Batch:

Produced:  
Collected: 12/10/2024  
Received: 12/10/2024  
Completed: 12/12/2024  
Batch#:

Client  
THC-A FLOWER CO.



## Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	12/10/2024	Complete
Moisture	12/10/2024	12.50%

## Cannabinoids

Complete

<b>24.97%</b>	<b>ND</b>	<b>28.44%</b>
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Mass	Mass
	mg/g	mg/g	%	mg/g
THCa	0.20000	0.61000	28.16	281.62
Δ9-THC	0.15000	0.45000	0.28	2.79
Δ8-THC	0.14000	0.42000	ND	ND
THCV	0.15000	0.44000	ND	ND
CBDa	0.10000	0.31000	ND	ND
CBD	0.15000	0.45000	ND	ND
CBN	0.16000	0.50000	ND	ND
CBG	0.13000	0.39000	ND	ND
CBC	0.14000	0.42000	ND	ND
<b>Total THC</b>			<b>24.976</b>	<b>249.76</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>28.440</b>	<b>284.40</b>

Determination of Cannabinoids by HPLC, HL223

Total THC =  $\Delta 9\text{-THCa} \cdot 0.877 + \Delta 9\text{-THC}$

Total CBD =  $\text{CBDA} \cdot 0.877 + \text{CBD}$

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



A handwritten signature in black ink that reads 'Ming Li'.

Ming Li - General  
Manager 12/12/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlms.com

(866) 506-5866  
www.confidentlms.com

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.